SEQUENCE LISTING

```
<110> Damha, Masad J.
      Hannoush, Rami N.
      Min, Kyung-Lyum
      Carriero, Sandra
<120> COMPOSITIONS AND METHODS FOR INHIBITING RNASE H ACTIVITY OF
      RETROID REVERSE TRANSCRIPTASE
<130> MGU-0025
<150> US 60/437,568
<151> 2002-12-31
<150> US 60/509,716
<151> 2003-10-07
<160> 58
<170> PatentIn version 3.1
<210> 1
<211> 4
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic loop moiety
<220>
<221> misc_feature
<222>
      (3)..(3)
<223> "Y" represents "C" or "U"
<400> 1
uuyg
<210> 2
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc feature
<222>
      (1)..(1)
<223> DNA residue
<220>
```

<221> misc_feature

2

```
<222> (2)..(27)
<223> RNA residue
<220>
<221> misc_feature
<222> (28)..(28)
<223> DNA residue
<400> 2
tggacuucgg uccaaaaacu ucgguuut
28
<210> 3
<211> 5
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic stem moiety
<220>
<221> misc_feature
<222> (1)..(1)
<223> DNA residue
<220>
<221> misc_feature
<222> (2)..(5)
<223> RNA residue
<400> 3
tggac
5
<210> 4
<211>
      5
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic stem moiety
<400> 4
aaaac
5
<210> 5
<211> 5
<212> RNA
<213> Artificial Sequence
<220>
```

```
<223> Synthetic stem moiety
<400>
gucca
5
<210>
       6
<211>
       5
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Synthetic stem moiety
<220>
<221> misc_feature
<222>
      (1)..(4)
<223> RNA residue
<220>
<221>
     misc_feature
<222>
       (5)..(5)
<223> DNA residue
<400>
       6
guuut
5
<210>
      7
<211>
       4
<212> RNA
<213> Artificial Sequence
<220>
<223>
     Synthetic loop moiety
<400> 7
uucg
<210>
       8
<211>
      14
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221>
      misc_feature
<222>
      (1)..(1)
<223> DNA residue
```

```
<220>
<221> misc_feature <222> (2)..(14)
<223> RNA residue
<400> 8
tggacuucgg ucca
<210>
<211>
       24
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 9
ggacuucggu ccaaacuucg guuu
<210> 10
<211>
       4
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Synthetic stem moiety
<400> 10
gucc
<210> 11
<211>
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Synthetic stem moiety
<400> 11
ggac
<210> 12
<211>
       12
<212>
       DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
```

```
<221> misc_feature
<222>
      (1)..(12)
<223> DNA residues
<220>
<221> misc_feature
<222> (5)..(6)
<223> "u" represents deoxyuridine residues
<400> 12
ggacuucggt cc
12
<210> 13
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 13
ggacttttgt cc
12
<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> DNA residue
<220>
<221> misc_feature
<222>
      (5)..(8)
<223> RNA residue
<220>
<221> misc_feature
<222> (9)..(12)
<223> DNA residue
<400> 14
ggacuucggt cc
12
```

6

```
<210> 15
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(4)
<223> DNA residues
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> DNA residues
<400> 15
ggacuucggt cc
12
<210> 16
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(4)
<223> DNA residues
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> DNA residues
```

<400> 16

```
ggacuacggt cc
 <210> 17
 <211> 12
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic oligonucleotide
 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> DNA residues
 <220>
 <221> misc_feature
 <222> (5)..(8)
<223> 2',5'-RNA residues
 <220>
 <221> misc_feature
 <222> (9)..(12)
 <223> DNA residues
 <400> 17
 ggacuuuggt cc
 12
 <210> 18
 <211> 12
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic oligonucleotide
 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> DNA residues
 <220>
 <221> misc_feature
 <222> (5)..(8)
<223> 2',5'-RNA residues
 <220>
 <221> misc_feature
 <222> (9)..(12)
<223> DNA residues
```

```
<400> 18
ggacuuuugt cc
<210> 19
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> RNA residues
<220>
<221> misc_feature <222> (5)..(8)
<223> DNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> RNA residues
<400> 19
ggacuucggu cc
12
<210> 20
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 20
ggacuucggu cc
12
<210> 21
<211>
       12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
```

```
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residues
<400> 21
ggacuucggu cc
12
<210> 22
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(3)
<223> RNA residue
<220>
<221> misc_feature
<222> (4)..(4)
<223> sugar/phosphodiester DNA composition
<220>
<221> misc_feature
<222> (5)..(8)
<223> RNA residues
<220>
<221> misc_feature
<222> (9)..(9)
<223> sugar/phosphodiester DNA composition
<220>
<221> misc_feature
<222> (10)..(12)
<223> RNA residues
<400> 22
ggacuucggu cc
12
<210> 23
<211> 12
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223>
      Synthetic oligonucleotide
<220>
<221>
      misc_feature
<222>
      (1)..(3)
<223> RNA residues
<220>
<221> misc_feature
<222>
      (4)..(4)
<223>
       sugar/phosphodiester DNA composition
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residue
<220>
<221> misc_feature
<222>
      (9)..(9)
<223> sugar/phosphodiester DNA composition
<220>
<221>
      misc_feature
<222> (10)..(12)
<223> RNA residues
<400> 23
ggacuucggu cc
12
<210>
      24
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(3)
<223> RNA residues
<220>
<221> misc_feature
<222>
      (4)..(4)
<223> sugar/phosphodiester DNA composition
<220>
```

```
<221> misc_feature
<222> (5)..(12)
<223> RNA residues
<400> 24
ggacuucggu cc
12
<210> 25
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(8)
<223> RNA residues
<220>
<221> misc_feature
<222>
      (9)..(9)
<223> sugar/phosphodiester DNA composition
<220>
<221> misc_feature
<222>
      (10)..(12)
<223> RNA residues
<400> 25
ggacuucggu cc
12
<210> 26
      12
<211>
<212> RNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (5)..(5)
<223> 2',5'-RNA residue; sugar/phosphodiester composition
<400> 26
ggacuucggu cc
12
```

```
<210> 27
<211>
     12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221>
      misc_feature
<222>
      (4)..(4)
<223> 2',5'-RNA residue; sugar/phosphodiester composition
<400> 27
ggacuucggu cc
12
<210> 28
<211>
      12
<212>
      RNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (9)..(9)
      2',5'-RNA residue; sugar/phosphodiester composition
<400> 28
ggacuucggu cc
<210> 29
<211>
      12
<212>
      RNA
<213>
      Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (4)...(4)
<223>
      sugar/phosphodiester composition
<220>
<221> misc_feature
<222>
      (4)..(8)
<223> 2',5'-RNA residues
```

```
<400> 29
ggacuucggu cc
12
<210> 30
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(3)
<223> DNA residues
<220>
<221> misc_feature
<222>
      (4)..(4)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
<222> (4)..(9)
<223> RNA residues
<220>
<221> misc_feature
<222> (9)..(9)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
      (10)..(12)
<222>
<223> DNA residues
<400> 30
ggacuucggt cc
<210> 31
<211> 12
<212>
      DNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(3)
```

```
<223> DNA residues
<220>
<221>
      misc_feature
<222>
      (4)..(4)
<223> sugar/phosphodiester composition
<220>
<221> misc_feature
<222>
      (4)..(9)
<223> RNA residues
<220>
<221> misc feature
<222> (9)..(9)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
<222>
      (10)..(12)
<223> DNA residues
<400> 31
ggacuuuugt cc
12
<210> 32
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)..(3)
<223> DNA residues
<220>
<221> misc_feature
<222> (4)..(4)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residue
```

<220>

```
<221> misc_feature
<222>
      (9)..(9)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc feature
<222> (10)..(12)
<223> DNA residues
<400> 32
ggacuucggt cc
12
<210> 33
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222>
      (1)...(3)
<223> DNA residues
<220>
<221> misc_feature
<222> (4)..(4)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
<222> (4)..(8)
<223> 2',5'-RNA residues
<220>
<221> misc_feature <222> (9)..(9)
<223> sugar/phosphodiester RNA composition
<220>
<221> misc_feature
<222> (10)..(12)
<223> DNA residues
<400> 33
ggacuucggt cc
12
```

```
<210> 34
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(8)
<223> DNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> RNA residues
<400> 34
ggacuucggu cc
<210> 35
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature <222> (1)..(4)
<223> DNA residues
<220>
<221> misc_feature
<222>
      (5)..(12)
<223> RNA residues
<400> 35
ggacuucggu cc
<210> 36
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
```

```
<221> misc_feature
<222>
      (1)..(4)
<223> DNA residues
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222>
      (9) . . (12)
<223> RNA residues
<400> 36
ggacuucggu cc
12
<210> 37
      12
<211>
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (5)..(12)
<223> DNA residues
<400> 37
ggacuucggt cc
12
<210> 38
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> 2',5'-RNA residues
```

```
<220>
 <221> misc_feature
 <222> (5)..(8)
 <223> RNA residues
 <220>
 <221> misc_feature
 <222> (9)..(12)
<223> DNA residues
 <400> 38
 ggacuucggt cc
 12
 <210> 39
 <211> 12
<212> DNA
<213> Artificial Sequence
 <220>
 <223> Synthetic oligonucleotide
 <220>
 <221> misc_feature
 <222> (1)..(8)
<223> 2',5'-RNA residues
 <220>
 <221> misc_feature
 <222> (9)..(12)
 <223> DNA residues
 <400> 39
 ggacuucggt cc
 <210> 40
 <211> 12
 <212> DNA
 <213> Artificial Sequence
 <220>
. <223> Synthetic oligonucleotide
 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> DNA residues
 <220>
```

```
<221> misc_feature <222> (5)..(8)
<223> RNA residues
<220>
<221> misc_feature
<222> (9)..(11)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (12)..(12)
<223> RNA residue
<400> 40
ggacuucggu cc
<210> 41
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> DNA residues
<220>
<221> misc_feature
<222> (5)..(11)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (12)..(12)
<223> RNA residue
<400> 41
ggacuucggu cc
12
<210> 42
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
```

20

```
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (5)..(8)
<223> DNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> RNA residues
<400> 42
ggacuucggu cc
<210> 43
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature <222> (1)..(4)
<223> 2',5'-RNA residues
<400> 43
ggacuucggu cc
12
<210> 44
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(8)
<223> 2',5'-RNA residues
<400> 44
```

```
ggacuucggu cc
12
<210> 45
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (9)..(11)
<223> 2',5'-RNA residues
<400> 45
ggacuucggu cc
<210> 46
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature <222> (4)..(11)
<223> 2',5'-RNA residues
<400> 46
ggacuucggu cc
12
<210> 47
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> 2',5'-RNA residues
<220>
<221> misc_feature
<222> (9)..(11)
```

```
<400> 47
ggacuucggu cc
12
<210> 48
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(11)
<223> 2',5'-RNA residues
<400> 48
ggacuucggu cc
<210> 49
<211> 12
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (1)..(4)
<223> DNA residues
<220>
<221> misc_feature <222> (5)..(8)
<223> RNA residues
<220>
<221> misc_feature
<222> (9)..(12)
<223> DNA residues
<400> 49
ttttuucgtt tt
12
```

<223> 2',5'-RNA residues

<210> 50

```
<211> 16
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 50
guggacuucg guccac
<210> 51
<211> 16
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<220>
<221> misc_feature
<222> (7)..(10)
<223> 2',5'-RNA residues
<400> 51
guggacuucg guccac
16
<210> 52
<211> 12
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 52
aaacuucggu uu
12
<210> 53
<211> 4
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic loop moiety
<400> 53
uacg
4
<210> 54
<211> 18
```

```
<212> RNA
<213> Artificial Sequence
<220>
<223>
      Synthetic oligonucleotide
<400> 54
gaucugagcc ugggagcu
18
<210> 55
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 55
agctcccagg ctcagatc
<210> 56
<211>
     30
<212> RNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 56
aucucuagca gaggcgcccg aacagggaca
<210> 57
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 57
tgtccctgtt cgggcgcc
18
<210>
      58
<211>
      30
<212>
      DNA
<213> Artificial Sequence
<220>
<223> Synthetic oligonucleotide
<400> 58
```

atctctagca gaggcgcccg aacagggaca 30